



# STEINEL HEAT TOOLS

**Good, Better & Best for Heat Shrinking**

Invention in action. For every job.

Find Quality Products Online at:

[www.GlobalTestSupply.com](http://www.GlobalTestSupply.com)

[sales@GlobalTestSupply.com](mailto:sales@GlobalTestSupply.com)

**GOOD**

## COMFORTABLE WORK

With three-stage adjustable heat 120°F, 750°F, 1100°F and air flow up to 13 cfm, this professional heat gun is designed to reduce fatigue and prevent overheating during heat shrinking.

WORK COMFORTABLY

THREE STAGE ADJUSTABLE HEAT



### KEY FEATURES



600 hour brush motor  
Light handle for all-day use



Heating element: Ceramic encapsulated



Hanger: integrated work support



Optimized center of gravity



Protection: Thermal cut-out

# HL 1820 S

PN: 110025541

**GOOD**

## ELECTRONIC PRECISION

Benefit from **infinitely adjustable temperature from 120°F to 1,100°F** and three-stage air flow adjustability. This professional heat gun provides precision and **prevents overheating during heat shrinking**.



**ADJUSTABILITY**

**THUMBWHEEL OPERATION**

### KEY FEATURES



600 hour brush motor



Heating element: Ceramic encapsulated



Hanger: integrated work support  
Nozzles: accepts all standard nozzles



Optimized center of gravity



Protection: Thermal cut-out

# HL 1920 E

PN: 110025596

**BETTER**

## ERGONOMIC, PRECISE, AND SAFE

Reduce fatigue during virtually any application including heat shrinking tubes onto cables, welding and much more with this ergonomically designed, professional heat tool featuring an **LCD display to ensure precision and safety**, while monitoring and adjusting temperature up to 1,150°F.

LCD DISPLAY FOR PRECISION AND SAFETY



ERGONOMIC DESIGN REDUCES FATIGUE

### KEY FEATURES



600 hour brush motor



Heating element: Ceramic encapsulated



Nozzles: accepts all standard nozzles



Easy access cover for quick change of power cord



On-screen warning in case of heat accumulation  
Thermal cut-out for overheat control

# HL 2020 E

PN:110025597

Find Quality Products Online at:

[www.GlobalTestSupply.com](http://www.GlobalTestSupply.com)

[sales@GlobalTestSupply.com](mailto:sales@GlobalTestSupply.com)

**BETTER**

## MOST STRINGENT CONDITIONS

Designed for power and results, this heat gun generates an impressive **1,600 watts of power** and delivers hot air between **120 and 1,200°F**. With a variety of professional grade features, the HG 2320 E is an excellent choice for working on heat-sensitive objects.

**HIGHER DURABILITY (+20%)**



**OPTIMIZED WEIGHT BALANCE**

### KEY FEATURES



1000 hour brush motor



LCD display & residual heat indicator  
Optimal temperature scanner



Fine dust filter



Toggle-controlled temperature



Heat build-up warning

# HG 2320 E

PN: 110025598

**BETTER**

## IDEAL IN ELECTROSTATIC PROTECTED AREAS

This durable, professional tool has all the features of the HG 2320 E while being the ultimate ESD-safe tool. Designed for power and results, this heat gun generates an impressive **1,600 watts of power** and delivers hot air between **120°F and 1,200°F**. With a variety of professional grade features, the HG 2320 ESD is an excellent choice for working on heat-sensitive objects.

## IDEAL IN ELECTROSTATIC PROTECTED SPACES

## DESIGNED FOR POWER AND RESULTS



### KEY FEATURES



1000 hour brush motor



Higher durability and optimized weight balance



Fine dust filter



Toggle-controlled temperature



Heat build-up warning

# HG 2320 ESD

PN: 110073503

Find Quality Products Online at:

[www.GlobalTestSupply.com](http://www.GlobalTestSupply.com)

[sales@GlobalTestSupply.com](mailto:sales@GlobalTestSupply.com)

## STRONGEST PISTOL GRIP HOT AIR TOOL

**BEST**

This durable, professional tool weighs only 1.85 lbs. and produces hot air up to 3,000 Pa with absolute accuracy. Clearly read the LCD display and easily adjust the temperature from 120°F to 1300°F at 10° F steps with one hand to best fit your application. Set the airflow rate between 2-13 cfm and select any of the four individually tailored programs for simple, yet precise, operation. Utilizes professional standard nozzles making it ideal for construction site use.

**WEIGHS 1.85 LBS**



### KEY FEATURES



Powerful 10,000 hour brushless motor



One-hand toggle temperature control



Easily replaceable power cord



Plug-in heating element



Residual heat indicator

**STRONGEST PISTOL GRIP HOT AIR TOOL**

**HG 2520 E**

PN: 110025599